


Comfort Series SUBMITTAL DATA



4 Piece Sectional BF Shower

The sectional shower shall be EZA3838 BF 4 Piece center drain. Finished surface shall be of a sanitary-grade polyester Gelcoat exhibiting a minimal thickness of 15 dry mils, and a finished cured Barcoal hardness of 80-90 as tested with ASTM D-2583. Unit construction shall be of molded reinforced fiberglass with a minimum 15% fiberglass content.



The unit has outside dimensions of: 38 5/8" x 38 7/16" x 79". The 4 piece shower shall meet CSA B45.5, IAPMO Z124, NAHB, HUD, FHA, is designed to meet ADA and ANSI A117.1-2003 and shall meet the requirements of Southern Building Code.

NOTE: FOLD UP SEAT AND GRAB BAR PACKAGE REQUIRED FOR ADA AND ANSI A117.

The enclosure shall be equipped with the following installed accessories:

- 1) Low entry 1/2" threshold,
- 2) Tile Finish
- 3) Low Molded Shelf
- 4) Four Piece Sectional Design
- 4) Full Wood Backing On Walls
- 5) Factory installed Easy Base self sustaining bottom.

TOP VIEW



DUE TO THE NATURE OF THE MATERIALS INVOLVED
UNIT DIMENSIONS MAY VARY ± 1/2 INCH

Model No.:

Drawing#: EZA3838 BF .5 4P

Approved by:

Date Approved:

Date: 3-31-09

Revised: 3-14-13

Rep.:

Wholesaler:

Quote No.


eza.com
877.392.2531

EZ Able®
801 S. Garfield Ave., Suite 130
Traverse City, MI 49686

Recyclable Paper

Board Placement Drawing

SUBMITTAL DATA © 2004



DUE TO THE NATURE OF THE MATERIALS INVOLVED
UNIT DIMENSIONS MAY VARY ± 1/2 INCH

Job Name:			
Model No.:		Drawing#: EZA3838 BF .5 4P	
Approved by:	Date Approved:	Date: 3-31-09	Revised: 3-14-13
Rep.:	Wholesaler:	Quote No.:	

EZ Able®
801 S. Garfield Ave., Suite 130
Traverse City, MI 49686